
Web Accessibility Audit Report

⊕ www.zgk-kurylowka.pl
☐ 30.09.2025
⊙ WCAG 2.1 (WCAG2A, WCAG2AA)

⊘ Audited URL	
http://www.zgk-kurylowka.pl/	



Detailed Findings

Complete list of accessibility issues found during the audit



If this element contains a navigation section, it is recommended that it be marked up as a list.



WCAG A

This is a significant accessibility concern that may create barriers for some users. While not immediately blocking, it should be addressed to improve overall accessibility.

Guideline:

Element:

Page:

Guideline 1_3

html > body > header > ...



Heading markup should be used if this content is intended as a heading.



WCAG A

This is a significant accessibility concern that may create barriers for some users. While not immediately blocking, it should be addressed to improve overall accessibility.

Guideline:

Element:

Page:

Guideline 1_3

#main > ul > li:nth-chi...



Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.



WCAG A

This is a significant accessibility concern that may create barriers for some users. While not immediately blocking, it should be addressed to improve overall accessibility.

Guideline:

Element:

Page:

Guideline 2_5

#main > ul > li:nth-chi...



This element's text is placed on a background image. Ensure the contrast ratio between the text and all covered parts of the image are at least 3:1.



WCAG AA

Text with insufficient contrast against the background color is difficult to read for users with low vision or color blindness. This affects readability and accessibility.

Guideline:

Element:

Page:

Guideline 1_4

html > body > header > ...

1



If this element contains a navigation section, it is recommended that it be marked up as a list.

MEDIUM

WCAG AA

Form controls without proper labels are not accessible to assistive technologies. Users with screen readers cannot understand what information is required.

Guideline: Element: Page:
Guideline 1_3 html > body > header > ... /



This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.



WCAG AA

Text with insufficient contrast against the background color is difficult to read for users with low vision or color blindness. This affects readability and accessibility.

Guideline: Element: Page:

Guideline 1_4 #main > ul > li:nth-chi... /



Heading markup should be used if this content is intended as a heading.



WCAG AA

Form controls without proper labels are not accessible to assistive technologies. Users with screen readers cannot understand what information is required.

Guideline: Element: Page: #main > ul > li:nth-chi... /



This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.



WCAG AA

Text with insufficient contrast against the background color is difficult to read for users with low vision or color blindness. This affects readability and accessibility.

Guideline: Element: Page:

Guideline 1_4 #main > ul > li:nth-chi... /



This element is absolutely positioned and the background color can not be determined. Ensure the contrast ratio between the text and all covered parts of the background are at least 4.5:1.

MEDIUM

WCAG AA

Text with insufficient contrast against the background color is difficult to read for users with low vision or color blindness. This affects readability and accessibility.

Guideline: Element: Page:

Guideline 1_4 #main > ul > li:nth-chi... /

A

Accessible name for this element does not contain the visible label text. Check that for user interface components with labels that include text or images of text, the name contains the text that is presented visually.



WCAG AA

This is a significant accessibility concern that may create barriers for some users. While not immediately blocking, it should be addressed to improve overall accessibility.

Guideline: Element: Page:

Guideline 2_5 #main > ul > li:nth-chi... /

A

This element has "position: fixed". This may require scrolling in two dimensions, which is considered a failure of this Success Criterion.



WCAG AA

This is a significant accessibility concern that may create barriers for some users. While not immediately blocking, it should be addressed to improve overall accessibility.

Guideline: Element: Page:
Guideline 1_4 #cookie-banner /

Check that the title element describes the document.



WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline: Element: Page:
Guideline 2_4 html > head > title /

Check that the link text combined with programmatically determined link context identifies the purpose of the link.



WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline: Element: Page:
Guideline 2_4 html > body > a /

Check that the link text combined with programmatically determined link context identifies the purpose of the link.



WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline: Element: Page:

Guideline 2_4 html > body > header > ... /

6	Check that the link text combined with programmatically determined link context
	identifies the purpose of the link.

WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline:

Element:

Page:

Guideline 2_4

html > body > header > ...

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline:

Element:

Page:

Guideline 2_4

html > body > header > ...

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline:

Element:

Page:

/

Guideline 2_4

html > body > header > ...

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline:

Element:

Page:

/

Guideline 2_4

html > body > header > ...

Ensure that the img element's alt text serves the same purpose and presents the same information as the image.

LOW

WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline:

Element:

Page:

Guideline 1_1

html > body > header > ...

/

a	If this image cannot be fully described in a short text alternative, ensure a long text
	alternative is also available, such as in the body text or through a link.

LOW WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline: Element: Page:
Guideline 2_4 html > body > header > ... /

Ensure that the img element's alt text serves the same purpose and presents the same information as the image.

LOW

WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.

LOW

WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline: Element: Page:
Guideline 1_1 html > body > header > ... /

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline: Element: Page:
Guideline 2_4 #main > ul > li:nth-chi... /

a	Check that the link text combined with programmatically determined link context
	identifies the purpose of the link.

WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline:

Element:

Page:

Guideline 2_4

#main > ul > li:nth-chi...

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline:

Element:

Page:

Guideline 2_4

#main > ul > li:nth-chi...

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline:

Element:

Page:

/

Guideline 2_4

html > body > footer > ...

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline:

Element:

Page:

/

Guideline 2_4

html > body > footer > ...

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

WCAG A

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline:

Element:

Page:

Guideline 2_4

html > body > footer > ...

		ity consideration that could enhance the would improve the overall accessibility	
(Guideline:	Element:	Page:
(Guideline 3_2	#cookie-accept	1
	Check that a change of co	ntext does not occur when this input field	d receives focus.
		ity consideration that could enhance the would improve the overall accessibility	
(Guideline:	Element:	Page:
(Guideline 3_2	#cookie-reject	1
1	when style sheets are disa This is a minor accessibili	ity consideration that could enhance the	WOAC
(disabilities. Addressing it	would improve the overall accessibility	of the page.
		would improve the overall accessibility	
(disabilities. Addressing it Guideline: Guideline 1_3	would improve the overall accessibility Element: -	of the page. Page: /
	Guideline: Guideline 1_3 Where instructions are procharacteristics alone (suc		Page: / not rely on sensory bbjects. e user experience for people with
	Guideline: Guideline 1_3 Where instructions are procharacteristics alone (suc This is a minor accessibilidisabilities. Addressing it Guideline: Guideline: Guideline 1_3 Check that any information through other visual cues. This is a minor accessibilities.	Element:	Page: // not rely on sensory bbjects. e user experience for people with of the page. Page: // illable in text, or LOW WCAG
	Guideline: Guideline 1_3 Where instructions are procharacteristics alone (suc This is a minor accessibilidisabilities. Addressing it Guideline: Guideline 1_3 Check that any information through other visual cues. This is a minor accessibilidisabilities. Addressing it	Element:	Page: // not rely on sensory bijects. e user experience for people with of the page: // illable in text, or LOW WCAG wcag user experience for people with of the page.
	Guideline: Guideline 1_3 Where instructions are procharacteristics alone (suc This is a minor accessibilidisabilities. Addressing it Guideline: Guideline: Guideline 1_3 Check that any information through other visual cues. This is a minor accessibilities.	Element:	Page: // not rely on sensory bbjects. e user experience for people with of the page. Page: // illable in text, or LOW WCAG

	then at least one of the foll shortcut off; Remap: A me more non-printable keyboa	er-case letters), punctuation, number lowing is true: Turn off: A mechanis chanism is available to remap the sl ard characters (e.g. Ctrl, Alt, etc); A er interface component is only activ	m is available to turn the nortcut to use one or ctive only on focus: The	
		ty consideration that could enhand would improve the overall accessil		ople with
	Guideline:	Element:	Page:	
	Guideline 2_1	-		
1		noves, scrolls or blinks for more tha is a mechanism available to pause, s	The state of the s	OW WCAG A
		ty consideration that could enhand would improve the overall accessil		ople with
	Guideline:	Element:	Page:	
	Guideline 2_2	-	1	
•	second period, or that the	of the content flashes more than the size of any flashing area is sufficier ty consideration that could enhance	ntly small.	WCAG A
i	second period, or that the This is a minor accessibili	size of any flashing area is sufficier	ethe user experience for peo	
	second period, or that the This is a minor accessibili disabilities. Addressing it Guideline: Guideline 2_3	size of any flashing area is sufficier ty consideration that could enhance would improve the overall accessite Element: —	ee the user experience for peoplity of the page. Page:	ople with
8	second period, or that the This is a minor accessibility disabilities. Addressing it Guideline: Guideline 2_3 Ensure that any common in skip links, header elements. This is a minor accessibility	size of any flashing area is sufficiently consideration that could enhance would improve the overall accessible Element: - avigation elements can be bypassed	the user experience for peoplity of the page. Page: / d; for instance, by use of the user experience for people to the page.	ow WCAG A
	second period, or that the This is a minor accessibility disabilities. Addressing it Guideline: Guideline 2_3 Ensure that any common in skip links, header elements. This is a minor accessibility	ty consideration that could enhance would improve the overall accessible Element: - avigation elements can be bypassed by, or ARIA landmark roles. ty consideration that could enhance the size of the could enhance the could en	the user experience for peoplity of the page. Page: / d; for instance, by use of the user experience for peoplity of the page.	ow WCAG A
	second period, or that the This is a minor accessibility disabilities. Addressing it Guideline: Guideline 2_3 Ensure that any common noskip links, header elements. This is a minor accessibility disabilities. Addressing it	ty consideration that could enhance would improve the overall accessible Element: - avigation elements can be bypassed by or ARIA landmark roles. ty consideration that could enhance would improve the overall accessible would improve the overall accessible size.	the user experience for peoplity of the page. Page: / d; for instance, by use of the user experience for people to the page.	ow WCAG A
	second period, or that the This is a minor accessibility disabilities. Addressing it Guideline: Guideline 2_3 Ensure that any common in skip links, header elements. This is a minor accessibility disabilities. Addressing it Guideline: Guideline: Guideline 2_4 Check that all functionality	size of any flashing area is sufficiently consideration that could enhance would improve the overall accessible Element:	the user experience for peoplity of the page. Page: / d; for instance, by use of the user experience for peoplity of the page. Page: / digestures for operation	ow WCAG A

Guideline 2_5		
<u> </u>	_	
Check that for functionality	y that can be operated using a sir	gle pointer at least one of
the following is true: No Do	wn-Event: The down-event of the	e pointer is not used to
up-event, and a mechanism undo the function after cor of the preceding down-eve	ction; Abort or Undo: Completion n is available to abort the functio npletion; Up Reversal: The up-event; Essential: Completing the fun	n before completion or to ent reverses any outcome
	ty consideration that could enha would improve the overall acces	nce the user experience for people with sibility of the page.
Guideline:	Element:	Page:
Guideline 2_5	-	
	ce components with labels that in	clude text or images of LOW WC
This is a minor accessibilit	e text that is presented visually. ty consideration that could enhat would improve the overall acces	nce the user experience for people with sibility of the page.
Guideline:	Element:	Page:
Guideline 2_5	_	1
Check that functionality th be operated by user interfa disabled to prevent accide motion is used to operate f	at can be operated by device mo ace components and responding ntal actuation, except when: Sup functionality through an accessib sential for the function and doing	o the motion can be ported Interface: The lity supported interface;
Check that functionality the operated by user interfaction disabled to prevent accided motion is used to operate for Essential: The motion is estactivity. This is a minor accessibility.	nce components and responding intal actuation, except when: Supurctionality through an accessib sential for the function and doing	o the motion can be ported Interface: The lity supported interface; so would invalidate the ence the user experience for people with
Check that functionality the be operated by user interfaction disabled to prevent accide motion is used to operate for Essential: The motion is estactivity. This is a minor accessibility disabilities. Addressing it we Guideline:	ace components and responding intal actuation, except when: Supply unctionality through an accessib sential for the function and doing ty consideration that could enha	o the motion can be ported Interface: The lity supported interface; so would invalidate the ence the user experience for people with
Check that functionality the operated by user interfaction disabled to prevent accided motion is used to operate for Essential: The motion is estactivity. This is a minor accessibility disabilities. Addressing it was actived.	ace components and responding intal actuation, except when: Supplemental actuation, except when: Supplemental for the function and doing ty consideration that could enhanced would improve the overall access.	o the motion can be corted Interface: The lity supported interface; so would invalidate the nce the user experience for people with sibility of the page.
Check that functionality the be operated by user interfaction disabled to prevent accide motion is used to operate for Essential: The motion is estactivity. This is a minor accessibility disabilities. Addressing it we Guideline:	ace components and responding intal actuation, except when: Support of the function and doing ty consideration that could enhanced improve the overall access Element: -	o the motion can be corted Interface: The lity supported interface; so would invalidate the nce the user experience for people with sibility of the page.
Check that functionality the operated by user interface disabled to prevent accided motion is used to operate for Essential: The motion is estactivity. This is a minor accessibility disabilities. Addressing it will be accessed by the control of	ace components and responding intal actuation, except when: Supplemental actuation, except when: Supplemental for the function and doing ty consideration that could enhaus would improve the overall access Element: - at describes the document. scriptive or unique make it difficits.	o the motion can be corted Interface: The lity supported interface; so would invalidate the name the user experience for people with sibility of the page. Page:
Check that functionality the operated by user interface disabled to prevent accided motion is used to operate for Essential: The motion is estactivity. This is a minor accessibility disabilities. Addressing it will be described by the control of	ace components and responding intal actuation, except when: Supplemental actuation, except when: Supplemental for the function and doing ty consideration that could enhaus would improve the overall access Element: - at describes the document. scriptive or unique make it difficits.	o the motion can be ported Interface: The lity supported interface; so would invalidate the sibility of the page. Page: / LOW WCA

6	Check that the link text combined with programmatically determined link context
	identifies the purpose of the link.

WCAG AA

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

html > body > a

Guideline: Guideline 2_4 Element:

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

LOW

LOW

WCAG AA

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

This is a minor accessibility consideration that could enhance the user experience for people with

Guideline:

Element:

Page:

Page:

Guideline 2_4

html > body > header > ...

WCAG AA

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

disabilities. Addressing it would improve the overall accessibility of the page.

Guideline:

Element:

Page:

/

/

Guideline 2_4

html > body > header > ...

WCAG AA

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

disabilities. Addressing it would improve the overall accessibility of the page.

Guideline:

This is a minor accessibility consideration that could enhance the user experience for people with

Guideline 2_4

html > body > header > ...

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

WCAG AA

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline:

Page:

Guideline 2_4

html > body > header > ...

a	Check that the link text combined with programmatically determined link context
	identifies the purpose of the link.

WCAG AA

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline:

Element:

Page:

Guideline 2_4

html > body > header > ...

Ensure that the img element's alt text serves the same purpose and presents the same information as the image.

LOW

WCAG AA

Images without alternative text cannot be understood by screen readers and other assistive technologies. This makes the content inaccessible to users with visual impairments.

Guideline:

Element:

Page:

Guideline 1_1

html > body > header > ...

If this image cannot be fully described in a short text alternative, ensure a long text alternative is also available, such as in the body text or through a link.

LOW

WCAG AA

Images without alternative text cannot be understood by screen readers and other assistive technologies. This makes the content inaccessible to users with visual impairments.

Guideline:

Element:

Page:

Guideline 1_1

html > body > header > ...

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

WCAG AA

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline:

Flement.

Page:

/

Guideline 2_4

html > body > header > ...

Ensure that the img element's alt text serves the same purpose and presents the same information as the image.

LOW

WCAG AA

Images without alternative text cannot be understood by screen readers and other assistive technologies. This makes the content inaccessible to users with visual impairments.

Guideline:

Element:

Page:

Guideline 1_1

html > body > header > ...

a	If this image cannot be fully described in a short text alternative, ensure a long text
	alternative is also available, such as in the body text or through a link.

LOW WCAG AA

Images without alternative text cannot be understood by screen readers and other assistive technologies. This makes the content inaccessible to users with visual impairments.

Guideline: Element: Page: Guideline 1_1 html > body > header > ... /

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

WCAG AA

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline: Element: Page:
Guideline 2_4 #main > ul > li:nth-chi... /

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

WCAG AA

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline: Element: Page:
Guideline 2_4 #main > ul > li:nth-chi... /

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

WCAG AA

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline: Element: Page:
Guideline 2_4 #main > ul > li:nth-chi... /

Check that the link text combined with programmatically determined link context identifies the purpose of the link.

LOW

WCAG AA

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.

Guideline: Element: Page:

Guideline 2_4 html > body > footer > ... /

•		ne link.		
		ty consideration that could enhance the use would improve the overall accessibility of th		
	Guideline:	Element:	Page:	
	Guideline 2_4	html > body > footer >	1	
•	Check that the link text cor identifies the purpose of the	mbined with programmatically determined lir	nk context LOW WCAG	AA
		ty consideration that could enhance the use would improve the overall accessibility of th		
	Guideline:	Element:	Page:	
	Guideline 2_4	html > body > footer >		
		ontext (like opening new windows or changi cially those using assistive technologies. Element: #cookie-accept	ng focus) without user notification Page: /	n
	can disorient users, espectively guideline: Guideline 3_2	Element: #cookie-accept	Page:	1
i	can disorient users, espect Guideline: Guideline 3_2 Check that a change of cor	cially those using assistive technologies. Element:	Page: / reives focus. LOW WCAG	AA
•	can disorient users, espectively considered and considering an	Element: #cookie-accept htext does not occur when this input field rec	Page: / reives focus. LOW WCAG	AA
3	Check that a change of cor Unexpected changes in co can disorient users, espect	Element: #cookie-accept htext does not occur when this input field recontext (like opening new windows or changing)	Page: / reives focus. LOW WCAG	AA
•	can disorient users, espect Guideline: Guideline 3_2 Check that a change of cor Unexpected changes in co	Element: #cookie-accept htext does not occur when this input field recontext (like opening new windows or changically those using assistive technologies.	Page: / Peives focus. Low WCAG / Ing focus) without user notification	AA
3	Check that a change of corunt users, especially contained and contained	Element: #cookie-accept htext does not occur when this input field recontext (like opening new windows or changicially those using assistive technologies. Element: #cookie-reject	Page: / Delives focus. LOW WCAG / mg focus) without user notification Page: /	AA
3	Check that a change of corundation of corundations. Check that a change of corundation of corun	Element: #cookie-accept htext does not occur when this input field recontext (like opening new windows or changicially those using assistive technologies. Element: #cookie-reject	Page: / Delives focus. LOW WCAG / Ing focus) without user notification Page: / Page: / WCAG /	AA AA
8	Check that a change of corundation of corundations. Check that a change of corundation of corun	Element: #cookie-accept htext does not occur when this input field recontext (like opening new windows or changicially those using assistive technologies. Element: #cookie-reject bridered in a meaningful sequence when linear bled. on visual presentation (like color, shape, or	Page: / Delives focus. LOW WCAG / Ing focus) without user notification Page: / Page: / WCAG /	AA AA
•	Check that a change of corundisorient users, especially contained and change of corundisorient users, especially contained and c	Element: #cookie-accept htext does not occur when this input field recontext (like opening new windows or changicially those using assistive technologies. Element: #cookie-reject bridered in a meaningful sequence when linear bled. on visual presentation (like color, shape, or rithose using assistive technologies.	Page: / Delives focus. LOW WCAG / Ing focus) without user notification Page: / Page: / Sized, such as LOW WCAG / Size) may not be accessible to use	AA

	would improve the overall acces	ance the user experience for people with sibility of the page.
Guideline:	Element:	Page:
Guideline 1_3	-	
	not restrict its view and operation ait or landscape, unless a specific	VVO
	ity consideration that could enha would improve the overall acces	ance the user experience for people with sibility of the page.
Guideline:	Element:	Page:
Guideline 1_3	-	1
Guideline: Guideline 1_4	Element:	Page: /
Guideline 1_4 Check that text can be res	– sized without assistive technology	
Check that text can be rewithout loss of content or	– sized without assistive technology functionality.	y up to 200 percent WCA
Check that text can be rewithout loss of content or This is a minor accessibil	– sized without assistive technology functionality.	y up to 200 percent
Check that text can be rewithout loss of content or This is a minor accessibil	= sized without assistive technology functionality. ity consideration that could enha	y up to 200 percent
Check that text can be rewithout loss of content or This is a minor accessibil disabilities. Addressing it	sized without assistive technology functionality. Ity consideration that could enhance would improve the overall access	r up to 200 percent unce the user experience for people with exibility of the page.

	used to convey information is essential to the informat user's requirements.	ion being conveyed, or can be visu	_		
	This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.				
	Guideline:	Element:	Page:		
	Guideline 1_4	-	1		
i	Check that content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions for: Vertical scrolling content at a width equivalent to 320 CSS pixels; Horizontal scrolling content at a height equivalent to 256 CSS pixels; Except for parts of the content which require two-dimensional layout for usage or meaning.				
		ty consideration that could enhand would improve the overall accessi		people with	
	Guideline:	Element:	Page:		
	Guideline 1_4	_	1		
6	3:1 against adjacent color(required to identify user in	entation of the following have a con s): User Interface Components: Vis terface components and states, ex	ual information cept for inactive	LOW WCAG AA	
8	3:1 against adjacent color(required to identify user in components or where the a agent and not modified by to understand the content, essential to the information This is a minor accessibility	s): User Interface Components: Visterface components and states, exappearance of the component is dethe author; Graphical Objects: Part except when a particular presentant being conveyed.	ual information cept for inactive termined by the user s of graphics required tion of graphics is ce the user experience for		
6	3:1 against adjacent color(required to identify user in components or where the a agent and not modified by to understand the content, essential to the information This is a minor accessibility	s): User Interface Components: Vis terface components and states, ex appearance of the component is de the author; Graphical Objects: Part except when a particular presenta n being conveyed.	ual information cept for inactive termined by the user s of graphics required tion of graphics is ce the user experience for		
6	3:1 against adjacent color(required to identify user in components or where the a agent and not modified by to understand the content, essential to the information This is a minor accessibilit disabilities. Addressing it	s): User Interface Components: Visterface components and states, exappearance of the component is dethe author; Graphical Objects: Part except when a particular presentant being conveyed.	ual information cept for inactive termined by the user s of graphics required tion of graphics is ce the user experience for		
6	3:1 against adjacent color(required to identify user in components or where the a agent and not modified by to understand the content, essential to the information This is a minor accessibilit disabilities. Addressing it	s): User Interface Components: Visterface components and states, exappearance of the component is dethe author; Graphical Objects: Part except when a particular presentan being conveyed. Ity consideration that could enhance would improve the overall accession.	cept for inactive termined by the user s of graphics required tion of graphics is the user experience for bility of the page.		
	3:1 against adjacent color(required to identify user in components or where the a agent and not modified by to understand the content, essential to the information This is a minor accessibilit disabilities. Addressing it Guideline: Guideline: Guideline 1_4 Check that no loss of conte and by changing no other s times the font size; Spacing	s): User Interface Components: Visterface components and states, exappearance of the component is dethe author; Graphical Objects: Part except when a particular presentan being conveyed. Ity consideration that could enhance would improve the overall accession.	cept for inactive termined by the user s of graphics required tion of graphics is ce the user experience for bility of the page. Page: / g all of the following cing) to at least 1.5 a times the font size;		
	3:1 against adjacent color(required to identify user in components or where the a agent and not modified by to understand the content, essential to the information This is a minor accessibilit disabilities. Addressing it Guideline: Guideline: Guideline 1_4 Check that no loss of conte and by changing no other s times the font size; Spacing Letter spacing (tracking) to 0.16 times the font size. This is a minor accessibility	s): User Interface Components: Visterface components and states, exappearance of the component is dethe author; Graphical Objects: Part except when a particular presentan being conveyed. ty consideration that could enhance would improve the overall accessing Element: ———————————————————————————————————	cept for inactive termined by the user s of graphics required tion of graphics is the the user experience for bility of the page. Page: / g all of the following cing) to at least 1.5 times the font size; Vord spacing to at least the the user experience for	people with	
6	3:1 against adjacent color(required to identify user in components or where the a agent and not modified by to understand the content, essential to the information This is a minor accessibilit disabilities. Addressing it Guideline: Guideline: Guideline 1_4 Check that no loss of conte and by changing no other s times the font size; Spacing Letter spacing (tracking) to 0.16 times the font size. This is a minor accessibility	s): User Interface Components: Visterface components and states, exappearance of the component is dethe author; Graphical Objects: Part except when a particular presentan being conveyed. Ity consideration that could enhance would improve the overall accessing Element: — The ent or functionality occurs by setting tyle property: Line height (line spang following paragraphs to at least 2 to at least 0.12 times the font size; We ty consideration that could enhance the consideration that c	cept for inactive termined by the user s of graphics required tion of graphics is the the user experience for bility of the page. Page: / g all of the following cing) to at least 1.5 times the font size; Vord spacing to at least the the user experience for	people with	

	triggers additional content to Dismissable: A mechanism is moving pointer hover or key an input error or does not old hover can trigger the additional content without to additional content remains to user dismisses it, or its information to the content of the content remains to the content remains the content remains to the content remains the cont	and then removing pointer hover of the become visible and then hidden is available to dismiss the additional board focus, unless the additional oscure or replace other content; Honal content, then the pointer can the additional content disappearing visible until the hover or focus trigormation is no longer valid.	n, the following are true: nal content without I content communicates Ioverable: If pointer be moved over the g; Persistent: The Iger is removed, the	
	disabilities. Addressing it w	ould improve the overall accessi	bility of the page.	
	Guideline:	Element:	Page:	
	Guideline 1_4	-		
	characters, then at least one available to turn the shortcu shortcut to use one or more Active only on focus: The ke active when that component This is a minor accessibility	-case letters), punctuation, number of the following is true: Turn off: it off; Remap: A mechanism is avainon-printable keyboard characteryboard shortcut for a user interfat has focus. Your consideration that could enhance to could improve the overall accession.	A mechanism is ilable to remap the rs (e.g. Ctrl, Alt, etc); ce component is only ce the user experience for peo	ole with
	_	·	,	
	Guideline: Guideline 2_1	Element:	Page: /	
•	updates, check that there is	oves, scrolls or blinks for more tha a mechanism available to pause,		WCAG AA
•	-	consideration that could enhand rould improve the overall accessi Element:		ole with

	of skip links, header eleme				
	Pages without proper headings or skip links make navigation difficult for users with screen readers. A clear heading structure helps users understand the page organization.				
	Guideline:	Element:	Page:		
	Guideline 2_4	-	1		
•	If this Web page is not part	t of a linear process, check that the within a set of Web pages.	re is more than one way LOW	WCAG AA	
		ty consideration that could enhand would improve the overall accessi		e with	
	Guideline:	Element:	Page:		
	Guideline 2_4	-	1		
•	Check that headings and la	abels describe topic or purpose.	LOW	WCAG A	
	disabilities. Addressing it Guideline:	ty consideration that could enhand would improve the overall accessi Element:		e with	
	disabilities. Addressing it	would improve the overall accessi	bility of the page.	e with	
i	disabilities. Addressing it Guideline: Guideline 2_4 Check that there is at least indicator can be visually lo	would improve the overall accessi Element: - t one mode of operation where the located on user interface controls.	Page: / keyboard focus LOW	WCAG A	
•	disabilities. Addressing it Guideline: Guideline 2_4 Check that there is at least indicator can be visually lo	would improve the overall accessi Element: - t one mode of operation where the	Page: / keyboard focus Low difficult for keyboard users to n	WCAG A	
•	disabilities. Addressing it Guideline: Guideline 2_4 Check that there is at least indicator can be visually lo	would improve the overall accessi Element: — t one mode of operation where the located on user interface controls. but visible focus indicators make it	Page: / keyboard focus Low difficult for keyboard users to n	WCAG A	
	Check that there is at least indicator can be visually lo Interactive elements with page. Focus should be clear	Element: - t one mode of operation where the located on user interface controls. but visible focus indicators make it early visible for all interactive elements.	Page: / keyboard focus LOW difficult for keyboard users to nents.	WCAG A	
i	Check that there is at least indicator can be visually loo Interactive elements with page. Focus should be clearly and the company of the com	Element: - t one mode of operation where the located on user interface controls. but visible focus indicators make it early visible for all interactive element: - Element: - t that uses multipoint or path-based gele pointer without a path-based gelepointer	Page: / keyboard focus LOW difficult for keyboard users to nents. Page: / digestures for operation esture, unless a	WCAG A	
i	Check that there is at least indicator can be visually lo Interactive elements with page. Focus should be cle Guideline: Guideline: Guideline 2_4 Check that all functionality can be operated with a sing multipoint or path-based grant or path-based grant in the page. This is a minor accessibility of the page. This is a minor accessibility of the page. This is a minor accessibility of the page. The page of the p	Element: - t one mode of operation where the located on user interface controls. Dut visible focus indicators make it early visible for all interactive element: - Element: - t that uses multipoint or path-based gegle pointer without a path-based geglesture is essential.	Page: / keyboard focus c difficult for keyboard users to nents. Page: / d gestures for operation esture, unless a ce the user experience for people	WCAG A	
	Check that there is at least indicator can be visually lo Interactive elements with page. Focus should be cle Guideline: Guideline: Guideline 2_4 Check that all functionality can be operated with a sing multipoint or path-based grant or path-based grant in the page. This is a minor accessibility of the page. This is a minor accessibility of the page. This is a minor accessibility of the page. The page of the p	Element: - t one mode of operation where the located on user interface controls. Dut visible focus indicators make it early visible for all interactive element: - Element: - t that uses multipoint or path-based go gesture is essential. ty consideration that could enhance.	Page: / keyboard focus c difficult for keyboard users to nents. Page: / d gestures for operation esture, unless a ce the user experience for people	WCAG A	

	up-event, and a mechanism is available to abort the function before completion or to undo the function after completion; Up Reversal: The up-event reverses any outcome of the preceding down-event; Essential: Completing the function on the down-event is essential.				
	This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.				
	Guideline:	Element:	Page:		
	Guideline 2_5	-			
•		ce components with labels that incl e text that is presented visually.	ude text or images of LOW WCAG	AA e	
		ty consideration that could enhanc would improve the overall accessib	e the user experience for people with illity of the page.		
	Guideline:	Element:	Page:		
	Guideline 2_5	_	1		
•	also be operated by user in disabled to prevent accide motion is used to operate t	nat can be operated by device motion nterface components and respondin ntal actuation, except when: Suppon functionality through an accessibilit	g to the motion can be ted Interface: The y supported interface;	AA	
3	also be operated by user in disabled to prevent accide motion is used to operate it Essential: The motion is esactivity. This is a minor accessibility	nterface components and respondin ntal actuation, except when: Suppor functionality through an accessibilit sential for the function and doing so	g to the motion can be ted Interface: The y supported interface; would invalidate the e the user experience for people with	AA 6	
3	also be operated by user in disabled to prevent accide motion is used to operate it Essential: The motion is esactivity. This is a minor accessibility	nterface components and respondin ntal actuation, except when: Support functionality through an accessibility sential for the function and doing so ty consideration that could enhance	g to the motion can be ted Interface: The y supported interface; would invalidate the e the user experience for people with illity of the page.	AA 6	
8	also be operated by user in disabled to prevent accide motion is used to operate it Essential: The motion is estactivity. This is a minor accessibility disabilities. Addressing it	nterface components and responding the factuation, except when: Support functionality through an accessibility is ential for the function and doing so the function and doing so the function and doing so the function that could enhance would improve the overall accessibility.	g to the motion can be ted Interface: The y supported interface; would invalidate the e the user experience for people with	AA 6	
3	also be operated by user in disabled to prevent accide motion is used to operate it Essential: The motion is estactivity. This is a minor accessibility disabilities. Addressing it Guideline: Guideline: Guideline 2_5 Ensure that any change in attribute on an element, as	nterface components and responding notal actuation, except when: Support functionality through an accessibility is ential for the function and doing so the ty consideration that could enhance would improve the overall accessible Element: ———————————————————————————————————	g to the motion can be ted Interface: The y supported interface; would invalidate the e the user experience for people with idlity of the page. Page: / Note: The y supported interface; would invalidate the ethe user experience for people with idlity of the page. Page: / Ind/or xml:lang LOW WCAG		
	also be operated by user in disabled to prevent accide motion is used to operate of Essential: The motion is estactivity. This is a minor accessibility disabilities. Addressing it Guideline: Guideline: 2_5 Ensure that any change in attribute on an element, as This is a minor accessibility.	nterface components and responding notal actuation, except when: Support functionality through an accessibility is ential for the function and doing so the ty consideration that could enhance would improve the overall accessible Element: ———————————————————————————————————	g to the motion can be ted Interface: The y supported interface; would invalidate the e the user experience for people with illity of the page. Page: / Ind/or xml:lang LOW WCAG e the user experience for people with		
	also be operated by user in disabled to prevent accide motion is used to operate of Essential: The motion is estactivity. This is a minor accessibility disabilities. Addressing it Guideline: Guideline: Guideline 2_5 Ensure that any change in attribute on an element, as This is a minor accessibility disabilities. Addressing it Guideline: Guideline:	Interface components and responding intal actuation, except when: Support functionality through an accessibility is ential for the function and doing so the ty consideration that could enhance would improve the overall accessible Element:	g to the motion can be ted Interface: The y supported interface; would invalidate the e the user experience for people with illity of the page. Page: / Ind/or xml:lang LOW WCAG e the user experience for people with		
	also be operated by user in disabled to prevent accide motion is used to operate of Essential: The motion is estactivity. This is a minor accessibility disabilities. Addressing it Guideline: Guideline: 2_5 Ensure that any change in attribute on an element, as This is a minor accessibility disabilities. Addressing it	Interface components and responding interface components and responding interface components and responding interface components and responding interface in the function and doing so the consideration that could enhance would improve the overall accessible. Element: — Ilanguage is marked using the lang as appropriate. Ity consideration that could enhance would improve the overall accessible would improve the overall accessible would improve the overall accessible in the could enhance would enhance would enhance the could enhance the c	g to the motion can be ted Interface: The y supported interface; would invalidate the e the user experience for people with illity of the page. Page: / nd/or xml:lang LOW WCAG e the user experience for people with illity of the page.		

This is a minor accessibility consideration that could enhance the user experience for people with disabilities. Addressing it would improve the overall accessibility of the page.				
Guideline:	Element:	Page:		
Guideline 3_2	-			
identified consistently in	nat have the same functionality with the set of Web pages to which it bel	ongs.		
	would improve the overall accessi	ce the user experience for people with bility of the page.		
Guideline:	Element:	Page:		
Guideline 3_2	-			
-	es can be programmatically determ can be presented to the user by ass	- WOAC		
	ity consideration that could enhan would improve the overall accessi	ce the user experience for people with bility of the page.		
		5		
Guideline:	Element:	Page:		

Developed by codi.pro • http://www.zgk-kurylowka.pl/